

# Silkam®

## Non-absorbable sutures

### DESCRIPTION

Silkam® is a non-absorbable, braided and coated suture, made of natural silk filaments. Silkam® is basically indicated for applications where it is surgical practice to employ non-absorbable suture material. Silkam® is available in black and white.

### INDICATION

- General surgery
- Skin closure
- Oral surgery
- Ophthalmic surgery
- Ligatures



## Silkam®

### Product overview

Structure

Braided



Colour

Black or white

Chemical composition

Natural silk filaments

Coating

Refined paraffin wax

Origin

Natural

Sizes

USP 8/0 (metric 0.4) to USP 6 (metric 8)








Type of absorption

Non-absorbable

Sterilisation






Gamma-irradiation

## Needle-thread combination





| angle                                     | Needle<br>length<br>mm  | Thread<br>length cm<br>colour | USP (metric) |                      |                      |                      |                      |                      |                      |          |
|---|---|-------------------------------|--------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------|
|   |   |                               | 7/0<br>(0.5) | 6/0<br>(0.7)         | 5/0<br>(1)           | 4/0<br>(1.5)         | 3/0<br>(2)           | 2/0<br>(3)           | 0<br>(3.5)           | 1<br>(4) |
| 3/8 circle lancet needle with micro-point |   |                               |              |                      |                      |                      |                      |                      |                      |          |
| 135°                                      | <b>2xDLm 6</b><br>   | 45<br>black                   |              | G0760384             |                      |                      |                      |                      |                      |          |
| 1/4 circle lancet needle with micro-point |   |                               |              |                      |                      |                      |                      |                      |                      |          |
|   | <b>2xVLM 8</b><br>   | 45<br>black                   | G0768758     | G0768723             | G0768731             |                      |                      |                      |                      |          |
| 1/2 circle round bodied needle            |   |                               |              |                      |                      |                      |                      |                      |                      |          |
|   | <b>HR 10</b><br>     | 45<br>75<br>black             |              | C0760021<br>C0764043 | C0760030<br>C0764027 | C0760048             |                      |                      |                      |          |
|   | <b>HR 13</b><br>     | 8 x 45<br>black               |              |                      |                      |                      | M0766294             |                      |                      |          |
|   | <b>HR 13</b><br>   | 45<br>75<br>black             |              |                      | C0760072             | C0760080<br>C0764086 | C0760099<br>C0764094 |                      |                      |          |
|   | <b>HR 13</b><br>   | 8 x 45<br>black               | take off     |                      |                      | M0766076             |                      |                      |                      |          |
|   | <b>HR 17</b><br>   | 75<br>black                   |              |                      | C0760129             | C0760137             | C0760145             | C0760153             |                      |          |
|   | <b>HR 17</b><br>   | 8 x 45<br>black               | take off     |                      |                      | M0766115             |                      |                      |                      |          |
|   | <b>2xHR 17</b><br> | 60<br>90<br>black             |              |                      |                      | C0769029             | C0769299             |                      |                      |          |
|   | <b>HR 20</b><br>   | 75<br>black                   |              |                      |                      |                      |                      | C0760242             |                      |          |
|   | <b>HR 22</b><br>   | 75<br>90<br>black             |              |                      | C0760285             | C0760293             | C0760307<br>C0765374 | C0760315             |                      |          |
|   | <b>HR 26</b><br>   | 45<br>75<br>90<br>black       |              |                      | C0765279             | C0760404             | C0760412<br>C0765023 | C0760420<br>C0765024 | C0760439<br>C0765378 | C0760447 |

| Needle<br>length<br>mm | Thread<br>length cm<br>colour | USP (metric) |              |            |              |            |            |            |          |
|------------------------|-------------------------------|--------------|--------------|------------|--------------|------------|------------|------------|----------|
|                        |                               | 7/0<br>(0.5) | 6/0<br>(0.7) | 5/0<br>(1) | 4/0<br>(1.5) | 3/0<br>(2) | 2/0<br>(3) | 0<br>(3.5) | 1<br>(4) |












1/2 circle round bodied needle

|   |   |  |  |  |                      |                                  |  |          |          |
|---|---|--|--|--|----------------------|----------------------------------|--|----------|----------|
| <br>HR 26<br>take off   | 4 x 45<br>5 x 45<br>8 x 45<br>4 x 75<br>8 x 75<br>black |  |  |  | C0766498<br>B0766500 | C0766168<br>B0766178<br>M0766423 | C0766169<br>B0767027<br>M0766426<br>B0767026<br>M0766445 |          |          |
| <br>HR 26s              | 75<br>black   |  |  |  |                      |                                  |  |          | C0760927 |
| <br>HR 26s<br>take off | 4 x 45<br>black   |  |  |  |                      |                                  | C0767023   |          |          |
| <br>HR 30             | 75<br>black   |  |  |  |                      | C0760463                         | C0760471   | C0760480 | C0760498 |
| <br>HR 30s            | 75<br>black   |  |  |  |                      |                                  |  |          | C0760951 |

| Needle<br>length<br>mm | Thread<br>length cm<br>colour | USP (metric) |            |              |            |            |            |          |          |
|------------------------|-------------------------------|--------------|------------|--------------|------------|------------|------------|----------|----------|
|                        |                               | 6/0<br>(0.7) | 5/0<br>(1) | 4/0<br>(1.5) | 3/0<br>(2) | 2/0<br>(3) | 0<br>(3.5) | 1<br>(4) | 2<br>(5) |

|  |             |  |  |  |          |          |          |          |          |
|--|-------------|--|--|--|----------|----------|----------|----------|----------|
| <br>HR 30s | 75<br>black |  |  |  |          |          |          |          | C0760952 |
| <br>HR 37  | 75<br>black |  |  |  | C0760501 | C0760510 | C0760528 | C0760536 | C0760544 |
| <br>HR 37s | 75<br>black |  |  |  |          | C0760900 | C0760960 | C0760978 | C0760986 |
| <br>HR 40  | 75<br>black |  |  |  |          | C0770477 |          | C0770493 | C0770507 |

## Needle-thread combination











| Needle<br>length<br>mm   | Thread<br>length cm<br>colour | USP (metric) |              |                      |                      |                      |                      |            |            |          |
|--|-------------------------------|--------------|--------------|----------------------|----------------------|----------------------|----------------------|------------|------------|----------|
|  |                               | 6/0<br>(0.7) | 5/0<br>(1)   | 4/0<br>(1.5)         | 3/0<br>(2)           | 2/0<br>(3)           | 0<br>(3.5)           | 1<br>(4)   | 2<br>(5)   |          |
| 1/2 circle round bodied needle   |                               |              |              |                      |                      |                      |                      |            |            |          |
| <br>HR 40s     | 75<br>black                   |              |              |                      |                      |                      |                      |            |            | C0760560 |
| <br>HR 48      | 75<br>black                   |              |              |                      |                      |                      |                      |            |            | C0760625 |
| 3/8 circle round bodied needle   |                               |              |              |                      |                      |                      |                      |            |            |          |
| <br>DR 8      | 45<br>black                   | C0766542     |              |                      |                      |                      |                      |            |            |          |
| Needle<br>length<br>mm   | Thread<br>length cm<br>colour | 8/0<br>(0.4) | 7/0<br>(0.5) | 6/0<br>(0.7)         | 5/0<br>(1)           | 4/0<br>(1.5)         | 3/0<br>(2)           | 2/0<br>(3) | 0<br>(3.5) |          |
| <br>2xDR 8  | 45<br>black                   | C0768529     |              |                      |                      |                      |                      |            |            |          |
| <br>DR 10   | 45<br>75<br>black             |              |              | C0761010             | C0761028<br>C0761137 |                      |                      |            |            |          |
| <br>2xDR 10 | 45<br>75<br>black             |              |              | C0769126<br>C0767220 |                      |                      |                      |            |            |          |
| <br>DR 12   | 45<br>75<br>black             |              |              | C0761060<br>C0765295 | C0761079<br>C0765309 | C0765317             | C0765325             |            |            |          |
| <br>2xDR 12 | 45<br>75<br>black             |              |              | C0769215             |                      |                      | C0769240<br>C0769193 |            |            |          |
| <br>DR 15   | 45<br>75<br>black             |              |              |                      | C0761147             | C0761133<br>C0765767 |                      | C0761150   |            |          |
| <br>DR 18   | 75<br>black                   |              |              |                      | C0761192             | C0761206             | C0761214             |            |            |          |
| <br>DR 22   | 75<br>black                   |              |              |                      |                      |                      | C0761311             | C0761273   |            |          |

C Box of 36 units










B Box of 24 units










G Box of 12 units

M Box of 6 units









| Needle<br>length<br>mm  | Thread<br>length cm<br>colour | USP (metric) |                      |                      |            |              |            |            |            |
|---|-------------------------------|--------------|----------------------|----------------------|------------|--------------|------------|------------|------------|
|   |                               | 8/0<br>(0.4) | 7/0<br>(0.5)         | 6/0<br>(0.7)         | 5/0<br>(1) | 4/0<br>(1.5) | 3/0<br>(2) | 2/0<br>(3) | 0<br>(3.5) |
| <b>3/8 circle round bodied needle</b>   |                               |              |                      |                      |            |              |            |            |            |
|  DR 32                                | 75<br>black                   |              |                      |                      |            |              | C0761460   | C0761478   | C0761476   |
| Needle<br>length<br>mm  | Thread<br>length cm<br>colour | USP (metric) |                      |                      |            |              |            |            |            |
|   |                               | 5/0<br>(1)   | 4/0<br>(1.5)         | 3/0<br>(2)           | 2/0<br>(3) | 0<br>(3.5)   | 1<br>(4)   | 2<br>(5)   | 3<br>(6)   |
|  DR 32                                | 75<br>black                   |              |                      |                      |            |              | C0761494   | C0761508   |            |
| <b>Ski Needle round bodied needle</b>   |                               |              |                      |                      |            |              |            |            |            |
|  SKR 19<br><small>Easyslide</small>  | 20<br>black                   |              |                      | C0764324             |            |              |            |            |            |
|  SKR 26<br><small>Easyslide</small> | 30<br>45<br>black             |              |                      | C0761020             | C0764450   |              |            |            |            |
| <b>Straight round bodied needle</b>   |                               |              |                      |                      |            |              |            |            |            |
|  GR 19                              | 45<br>75<br>black             |              | C0761290<br>C0765511 |                      |            |              |            |            |            |
|  GR 51                              | 75<br>90<br>black             |              |                      |                      | C0765554   | C0761613     |            |            |            |
| <b>1/2 circle round bodied needle with short cutting point</b>  |                               |              |                      |                      |            |              |            |            |            |
|  HRC 17                             | 4 x 45<br>75<br>black         |              | C0760765             | C0766506<br>C0760766 | C0760767   |              |            |            |            |
|  HRC 26                             | 75<br>black                   |              |                      | C0760739             | C0760740   |              |            |            |            |
|  HRC 37                             | 75<br>black                   |              |                      |                      |            | C0760774     |            |            |            |
| <b>1/2 circle round bodied needle with trocar point</b>   |                               |              |                      |                      |            |              |            |            |            |
|  HRT 17                             | 4 x 45<br>75<br>black         |              | C0763136             | C0766127<br>C0763144 | C0763152   |              |            |            |            |

## Needle-thread combination

| Needle<br>length<br>mm  | Thread<br>length cm<br>colour   | USP (metric) |              |                      |                      |                                  |            |            |          |
|---|---------------------------------|--------------|--------------|----------------------|----------------------|----------------------------------|------------|------------|----------|
|   |                                 | 5/0<br>(1)   | 4/0<br>(1.5) | 3/0<br>(2)           | 2/0<br>(3)           | 0<br>(3.5)                       | 1<br>(4)   | 2<br>(5)   | 3<br>(6) |
| 1/2 circle round bodied needle with trocar point  |                                 |              |              |                      |                      |                                  |            |            |          |
|  <b>HRT 26</b>      | 75<br>black                     |              |              | C0763411             | C0763420             |                                  |            |            |          |
|  <b>HRT 37</b>      | 75<br>black                     |              |              |                      |                      | C0763527                         |            |            |          |
|  <b>HRT 48</b>      | 90<br>black                     |              |              |                      |                      | C0769100                         |            |            |          |
| 3/8 circle round bodied needle with trocar point  |                                 |              |              |                      |                      |                                  |            |            |          |
|  <b>DRT 18</b>    | 75<br>black                     |              |              | C0763217             |                      |                                  |            |            |          |
| Needle<br>length<br>mm  | Thread<br>length cm<br>colour   | USP (metric) |              |                      |                      |                                  |            |            |          |
|   |                                 | 7/0<br>(0.5) | 6/0<br>(0.7) | 5/0<br>(1)           | 4/0<br>(1.5)         | 3/0<br>(2)                       | 2/0<br>(3) | 0<br>(3.5) | 1<br>(4) |
| 3/8 circle round bodied needle with micro trocar point  |                                 |              |              |                      |                      |                                  |            |            |          |
|  <b>DRTM 8</b>   | 45<br>black                     | C0766950     |              |                      |                      |                                  |            |            |          |
| 3/8 circle round bodied needle with blunt point   |                                 |              |              |                      |                      |                                  |            |            |          |
|  <b>DRN 16</b>   | 45<br>2 x 45<br>2 x 75<br>black |              |              |                      |                      | C0766372<br>C0766390<br>C0766394 |            |            |          |
|  <b>2xDRN 16</b> | 60<br>black                     |              |              |                      |                      | G0766380                         |            |            |          |
| 1/2 circle reverse cutting needle   |                                 |              |              |                      |                      |                                  |            |            |          |
|  <b>HS 9</b>     | 75<br>black                     |              |              | C0762016             |                      |                                  |            |            |          |
|  <b>HS 15</b>    | 45<br>75<br>black               |              |              | C0762032<br>C0765490 | C0762040<br>C0765503 | C0762059                         |            |            |          |

| Needle<br>length<br>mm  | Thread<br>length cm<br>colour | USP (metric) |              |                      |                      |                      |                      |            |          |
|---|-------------------------------|--------------|--------------|----------------------|----------------------|----------------------|----------------------|------------|----------|
|   |                               | 7/0<br>(0.5) | 6/0<br>(0.7) | 5/0<br>(1)           | 4/0<br>(1.5)         | 3/0<br>(2)           | 2/0<br>(3)           | 0<br>(3.5) | 1<br>(4) |
| 1/2 circle reverse cutting needle   |                               |              |              |                      |                      |                      |                      |            |          |
|  HS 18   | 45<br>black                   |              |              |                      | G0762563             | C0762547             |                      |            |          |
|  HS 21   | 45<br>75<br>black             |              |              | C0762245<br>C0764876 | C0762253<br>C0764825 | C0762261<br>C0764248 | C0762270<br>C0764175 |            |          |
|  HS 23   | 45<br>75<br>black             |              |              |                      |                      | C0762300<br>C0764302 | C0762326<br>C0764303 |            |          |
|  HS 26   | 45<br>75<br>black             |              |              |                      | C0762407             | C0764400<br>C0762415 | C0762423             | C0762431   |          |
|  HS 26s | 75<br>black                   |              |              |                      |                      |                      |                      |            | C0762440 |
|  HS 30  | 75<br>black                   |              |              |                      |                      | C0764612             | C0764779             | C0764620   | C0764647 |
| Needle<br>length<br>mm  | Thread<br>length cm<br>colour | 4/0<br>(1.5) | 3/0<br>(2)   | 2/0<br>(3)           | 0<br>(3.5)           | 1<br>(4)             | 2<br>(5)             | 3<br>(6)   | 4<br>(6) |
|  HS 30  | 75<br>black                   |              |              |                      |                      |                      | C0764698             |            |          |
|  HS 37s | 75<br>black                   |              |              | C0762954             | C0764388             | C0762970             | C0764396             |            |          |
|  HS 48  | 75<br>90<br>black             |              |              |                      | C0764582<br>C0764581 | C0764590             |                      |            |          |

## Needle-thread combination

| Needle<br>length<br>mm  | Thread<br>length cm<br>colour | USP (metric) |                      |                      |                      |                      |                      |                      |                      |
|---|-------------------------------|--------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
|   |                               | 7/0<br>(0.5) | 6/0<br>(0.7)         | 5/0<br>(1)           | 4/0<br>(1.5)         | 3/0<br>(2)           | 2/0<br>(3)           | 0<br>(3.5)           | 1<br>(4)             |
| 3/8 circle reverse cutting needle   |                               |              |                      |                      |                      |                      |                      |                      |                      |
| <b>DS 9</b><br>      | 45<br>black                   | C0764000     | C0762024             |                      |                      |                      |                      |                      |                      |
| <b>DS 12</b><br>     | 45<br>75<br>black             |              | C0762067<br>C0765066 | C0762075<br>C0765074 | C0762083<br>C0765082 | C0762091<br>C0765597 |                      |                      |                      |
|   | 45<br>white                   |              |                      | C0732079             |                      |                      |                      |                      |                      |
| <b>2xDS 12</b><br>   | 45<br>black                   |              | C0768464             | C0768472             | C0768480             |                      |                      |                      |                      |
| <b>DS 16</b><br>     | 45                            |              | C0762113             | C0762121             | C0762130             | C0762148             | C0762156             |                      |                      |
|   | 75                            |              | C0764060             | C0764124             | C0764132             | C0764140             | C0764159             |                      |                      |
|   | 90<br>black                   |              |                      |                      |                      | C0764064             |                      |                      |                      |
| <b>2xDS 16</b><br> | 45                            |              |                      |                      |                      | C0767840             |                      |                      |                      |
|   | 75<br>black                   |              |                      |                      |                      |                      | C0767158             |                      |                      |
| <b>DS 19</b><br>   | 45                            |              |                      | C0762199             | C0762202             | C0762210             | C0762229             |                      |                      |
|   | 75                            |              | C0765171             | C0765198             | C0765201             | C0765210             | C0765228             | C0765236             | C0762384             |
|   | 90<br>black                   |              |                      |                      | C0765203             | C0765212             | C0764069             |                      | C0761998             |
| <b>DS 19</b>  | 45<br>white                   |              |                      |                      |                      | C0730010             |                      |                      |                      |
|   | 45<br>75<br>90<br>black       |              |                      | C0765120             | C0765090<br>C0762342 | C0765104<br>C0762350 | C0765112<br>C0762369 | C0762377             |                      |
| 45<br>white   |                               |              |                      |                      |                      | C0732354             |                      |                      |                      |
| 45<br>75<br>black   |                               |              |                      |                      |                      |                      | C0762466             | C0765473<br>C0762474 | C0765481<br>C0762482 |
|   | 45<br>black                   |              |                      |                      |                      |                      |                      |                      |                      |
| Needle<br>length<br>mm  | Thread<br>length cm<br>colour | USP (metric) |                      |                      |                      |                      |                      |                      |                      |
|   |                               | 6/0<br>(0.7) | 5/0<br>(1)           | 4/0<br>(1.5)         | 3/0<br>(2)           | 2/0<br>(3)           | 0<br>(3.5)           | 1<br>(4)             | 2<br>(5)             |
| <b>DS 30</b><br>   | 75<br>black                   |              |                      |                      |                      |                      |                      |                      | C0762504             |
| <b>DS 30</b><br>   | 4 x 45<br>black               |              |                      |                      |                      | C0766850             |                      |                      |                      |












C Box of 36 units

B Box of 24 units



























G Box of 12 units









M Box of 6 units



| Needle<br>length<br>mm   | Thread<br>length cm<br>colour | USP (metric) |            |              |                      |                      |                      |                      |          |
|--|-------------------------------|--------------|------------|--------------|----------------------|----------------------|----------------------|----------------------|----------|
|  |                               | 6/0<br>(0.7) | 5/0<br>(1) | 4/0<br>(1.5) | 3/0<br>(2)           | 2/0<br>(3)           | 0<br>(3.5)           | 1<br>(4)             | 2<br>(5) |
| <b>3/8 circle reverse cutting needle</b>   |                               |              |            |              |                      |                      |                      |                      |          |
| <br>DS 35<br>Easyslide | 75<br>75<br>black             |              |            |              | C0772410             | C0772429             | C0772437             | C0764183             | C0764184 |
| <br>DS 39              | 75<br>black                   |              |            |              |                      | C0762598             | C0762601             | C0762610             | C0762628 |
| <br>DS 45              | 75<br>black                   |              |            |              |                      |                      | C0762636             | C0762393             |          |
| <br>DS 48             | 75<br>black                   |              |            |              |                      | C0764817             | C0762814             | C0762776             |          |
| <br>DS 60            | 75<br>100<br>black            |              |            |              |                      |                      |                      | C0764892<br>B0760350 |          |
| <br>DS 76            | 100<br>black                  |              |            |              |                      | C0765350             |                      |                      |          |
| <br>DS 90            | 100<br>black                  |              |            |              |                      | C0764906             | C0764914             | C0764922             |          |
| <b>Straight reverse cutting needle</b>   |                               |              |            |              |                      |                      |                      |                      |          |
| <br>GS 51            | 75<br>100<br>black            |              |            | C0764655     | C0762741<br>C0764787 | C0762750<br>C0764990 | C0762760<br>C0765031 | C0762768             |          |
| <br>GS 60            | 75<br>100<br>black            |              |            | C0762644     | C0762652<br>C0764744 | C0762660<br>C0764752 | C0762679<br>C0764760 | C0764690<br>B0764762 |          |
| <br>GS 75            | 75<br>100<br>black            |              |            |              | C0765694             | C0762709<br>C0764728 | C0762717<br>C0764710 |                      |          |
| <br>GS 81            | 100<br>black                  |              |            |              |                      | C0764957             | C0765163             |                      |          |

## Needle-thread combination

| Needle<br>length<br>mm  | Thread<br>length cm<br>colour | USP (metric) |              |              |                      |                      |            |            |            |  |
|---|-------------------------------|--------------|--------------|--------------|----------------------|----------------------|------------|------------|------------|--|
|   |                               | 6/0<br>(0.7) | 5/0<br>(1)   | 4/0<br>(1.5) | 3/0<br>(2)           | 2/0<br>(3)           | 0<br>(3.5) | 1<br>(4)   | 2<br>(5)   |  |
| 1/2 circle reverse cutting needle with precision point  |                               |              |              |              |                      |                      |            |            |            |  |
|  <b>2xHSMP 7</b><br>      | 45<br>black                   | C0768790     |              |              |                      |                      |            |            |            |  |
|  <b>HSMP 9</b><br>        | 45<br>black                   |              |              | C0766135     |                      |                      |            |            |            |  |
|  <b>HSMP 15</b><br>       | 45<br>black                   | C0766136     | C0766137     | C0766138     |                      |                      |            |            |            |  |
| Needle<br>length<br>mm  | Thread<br>length cm<br>colour | USP (metric) |              |              |                      |                      |            |            |            |  |
|   |                               | 8/0<br>(0.4) | 7/0<br>(0.5) | 6/0<br>(0.7) | 5/0<br>(1)           | 4/0<br>(1.5)         | 3/0<br>(2) | 2/0<br>(3) | 0<br>(3.5) |  |
| 3/8 circle reverse cutting needle with precision point  |                               |              |              |              |                      |                      |            |            |            |  |
|  <b>DSMP 6</b><br>      | 45<br>black                   | C0766020     |              |              |                      |                      |            |            |            |  |
|  <b>2xDSMP 6</b><br>  | 45<br>black                   | C0768022     |              |              |                      |                      |            |            |            |  |
|  <b>DSMP 7</b><br>    | 45<br>black                   |              | C0766038     | C0766046     |                      |                      |            |            |            |  |
|  <b>2xDSMP 7</b><br>  | 45<br>black                   |              | C0768073     | C0768065     |                      |                      |            |            |            |  |
|  <b>DSMP 11</b><br>   | 45<br>black                   |              |              | C0766070     | C0766089             |                      |            |            |            |  |
|  <b>2xDSMP 11</b><br> | 45<br>black                   |              | C0768260     | C0768278     |                      |                      |            |            |            |  |
|  <b>DSMP 13</b><br>   | 45<br>75<br>black             |              |              | C0766186     | C0766194<br>C0764191 | C0766208             |            |            |            |  |
|  <b>2xDSMP 13</b><br> | 45<br>black                   |              |              |              |                      | C0768863             |            |            |            |  |
|  <b>DSMP 16</b><br>   | 45<br>75<br>black             |              |              | C0766216     | C0766224             | C0766232<br>C0764230 |            |            |            |  |
|  <b>2xDSMP 16</b><br> | 45<br>black                   |              |              |              |                      | C0767239             |            |            |            |  |

| Needle<br>length<br>mm   | Thread<br>length cm<br>colour | USP (metric) |              |              |            |              |            |                      |            |
|--|-------------------------------|--------------|--------------|--------------|------------|--------------|------------|----------------------|------------|
|  |                               | 8/0<br>(0.4) | 7/0<br>(0.5) | 6/0<br>(0.7) | 5/0<br>(1) | 4/0<br>(1.5) | 3/0<br>(2) | 2/0<br>(3)           | 0<br>(3.5) |
| 3/8 circle reverse cutting needle with precision point   |                               |              |              |              |            |              |            |                      |            |
| <br>DSMP 19<br> | 45<br>black                   |              |              |              | C0766704   | C0766682     | C0766690   | C0766700             |            |
| <br>DSMP 24<br> | 45<br>75<br>black             |              |              |              |            | C0766262     | C0766275   | C0766283<br>C0766049 |            |
| <br>DSMP 30<br>  | 75<br>black                   |              |              |              |            |              |            |                      | C0762486   |
| <br>DSMP 39<br>  | 75<br>black                   |              |              |              |            |              |            | C0766654             |            |

## Needle-thread combination

|                     | Thread<br>length cm<br>colour | USP (metric) |              |              |            |            |            |          |           |
|---------------------|-------------------------------|--------------|--------------|--------------|------------|------------|------------|----------|-----------|
|                     |                               | 5/0<br>(1)   | 4/0<br>(1.5) | 3/0<br>(2)   | 2/0<br>(3) | 0<br>(3.5) | 1<br>(4)   | 2<br>(5) | 3<br>(6)  |
| Pre-cut sutures     |                               |              |              |              |            |            |            |          |           |
| 3 threads of 45 cm  | 3 x 45<br>black               |              | C0266248     | C0266256     | C0266264   | C0266272   | C0266299   | C0266302 | C0266310  |
| 5 threads of 45 cm  | 5 x 45<br>black               |              |              | C0266450     | C0266469   | C0266477   | B0266493   | B0266507 |           |
| 10 threads of 45 cm | 10 x 45<br>black              | C0266639     | C0266647     | C0266655     | C0266663   | B0266671   | B0266698   |          |           |
| 12 threads of 45 cm | 12 x 45<br>black              |              | C0268640     | C0268658     | C0268666   |            |            |          |           |
|                     | Thread<br>length cm<br>colour | USP (metric) |              |              |            |            |            |          |           |
|                     |                               | 6/0<br>(0.7) | 5/0<br>(1)   | 4/0<br>(1.5) | 3/0<br>(2) | 2/0<br>(3) | 0<br>(3.5) | 1<br>(4) | 2<br>(5)  |
| 17 threads of 45 cm | 17 x 45<br>black              | C0266825     |              | C0266841     | C0266850   | C0266868   | B0266876   | B0266892 |           |
| 5 threads of 60 cm  | 5 x 60<br>black               |              |              |              |            |            | C0265373   |          |           |
| 10 threads of 60 cm | 10 x 60<br>black              |              |              |              |            | C0263664   | B0263672   | B0263680 |           |
| 13 threads of 60 cm | 13 x 60<br>black              |              |              | C0263842     | C0263850   | C0263869   | B0263877   | B0263893 |           |
| 15 threads of 60 cm | 15 x 60<br>black              |              |              | C0284840     | C0284858   | C0284866   | B0284874   | B0284890 | B0284904  |
| 1 thread of 75 cm   | 1 x 75<br>black               |              |              |              | C0265152   |            |            |          |           |
| 2 threads of 75 cm  | 2 x 75<br>black               |              |              |              |            | C0264067   | C0264075   | C0264091 | C0264105  |
|                     | Thread<br>length cm<br>colour | USP (metric) |              |              |            |            |            |          |           |
|                     |                               | 4/0<br>(1.5) | 3/0<br>(2)   | 2/0<br>(3)   | 0<br>(3.5) | 1<br>(4)   | 2<br>(5)   | 3<br>(6) | 4<br>(6)  |
| 2 threads of 75 cm  | 2 x 75<br>black               |              |              |              |            |            |            | B0264113 |           |
| 5 threads of 75 cm  | 5 x 75<br>black               | C0264440     | C0264458     | C0264466     | C0264474   | B0264490   | B0264504   |          |           |
| 10 threads of 75 cm | 10 x 75<br>black              | C0264644     | C0264652     | C0264660     | B0264679   | B0264695   | B0264696   |          |           |
| 1 thread of 150 cm  | 1 x 150<br>black              | C0262048     | C0262056     | C0262064     | C0262072   | C0262099   | C0262102   |          |           |
|                     | Thread<br>length cm<br>colour | USP (metric) |              |              |            |            |            |          |           |
|                     |                               | 1<br>(4)     | 2<br>(5)     | 3<br>(6)     | 4<br>(6)   | 5<br>(7)   | 6<br>(8)   | 7<br>(9) | 8<br>(10) |
| 1 thread of 150 cm  | 1 x 150<br>black              |              |              |              |            | B0262137   | B0262145   |          |           |

|                     | Thread<br>length cm<br>colour | USP (metric) |            |            |            |          |          |          |           |
|---------------------|-------------------------------|--------------|------------|------------|------------|----------|----------|----------|-----------|
|                     |                               | 1<br>(4)     | 2<br>(5)   | 3<br>(6)   | 4<br>(6)   | 5<br>(7) | 6<br>(8) | 7<br>(9) | 8<br>(10) |
| Pre-cut sutures     |                               |              |            |            |            |          |          |          |           |
| 2 threads of 150 cm | 2 x 150<br>black              |              | B0262609   |            |            |          |          |          |           |
|                     | Thread<br>length cm<br>colour | USP (metric) |            |            |            |          |          |          |           |
|                     |                               | 4/0<br>(1.5) | 3/0<br>(2) | 2/0<br>(3) | 0<br>(3.5) | 1<br>(4) | 2<br>(5) | 3<br>(6) | 4<br>(6)  |
| 1 thread of 180 cm  | 1 x 180<br>black              |              | C0268054   | C0268062   | C0268070   | C0268097 |          |          |           |
| Ligature reels      |                               |              |            |            |            |          |          |          |           |
| 1 thread of 250 cm  | 1 x 250<br>black              | G0260410     | G0260428   | G0260436   | G0260444   | G0260452 | G0260460 | G0260479 |           |
|                     | Thread<br>length cm<br>colour | USP (metric) |            |            |            |          |          |          |           |
|                     |                               | 2/0<br>(3)   | 0<br>(3.5) | 1<br>(4)   | 2<br>(5)   | 3<br>(6) | 4<br>(6) | 5<br>(7) | 6<br>(8)  |
| 1 thread of 250 cm  | 1 x 250<br>black              |              |            |            |            |          |          | G0260487 |           |
| 1 thread of 250 cm  | 1 x 250<br>white              |              |            |            | G0230260   |          |          | G0230286 |           |